No.



9200055

THE UNITED STATES OF AMERICA

TO ALL TO WHOM THESE: PRESENTS SHALL COME:

FFR Cooperative

Colherens, there has been presented to the

Secretary of Agriculture

AN APPLICATION REQUESTING A CERTIFICATE OF PROTECTION FOR AN ALLEGED NOVEL VARIETY OF SEXUALLY REPRODUCED PLANT, THE NAME AND DESCRIPTION OF WHICH ARE CONTAINED IN THE APPLICATION AND EXHIBITS, A COPY OF WHICH IS HEREUNTO ANNEXED AND MADE A PART HEREOF, AND THE VARIOUS REQUIREMENTS OF LAW IN SUCH CASES MADE AND PROVIDED HAVE BEEN COMPLIED WITH, AND THE TITLE THERETO IS, FROM THE RECORDS OF THE PLANT VARIETY PROTECTION OFFICE, IN THE APPLICANT(S) INDICATED IN THE SAID COPY, AND WHEREAS, UPON DUE EXAMINATION MADE, THE SAID APPLICANT(S) IS (ARE) ADJUDGED TO BE ENTITLED TO A CERTIFICATE OF PLANT VARIETY PROTECTION UNDER THE LAW.

NOW, THEREFORE, THIS CERTIFICATE OF PLANT VARIETY PROTECTION IS TO GRANT UNTO THE SAID APPLICANT(S) AND THE SUCCESSORS, HEIRS OR ASSIGNS OF THE SAID APPLICANT(S) FOR THE TERM OF eighteen Years from the date of this grant, subject to the payment of the required fees and periodic replenishment of viable basic seed of the variety in a public repository as provided by LAW, the right to exclude others from selling the variety, or offering it for sale, or reproducing it, importing it, or exporting it, or using it in producing a hybrid or different ty therefrom, to the extent provided by the Plant Variety Protection Act T. 1542, As Amended, 7 U.S.C. 2321 ET SEQ.)

SOYBEAN

'FFR 253'

In Lestimony Minercot, I have hereunto set my hand and caused the seal of the Plant Variety Protection Office to be affixed at the City of Washington, D.C. this 30th day of October in the year of our Lord one thousand nine hundred and ninety-two.

Edward Madigan

Secretary of Agriculture

Steel

Levreth Hevens

Plant Variety Protection Office Agricultural Marketing Service Public reporting burden for this collection of information is estimated to average 30 minutes per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing this burden, to Department of Agriculture, Clearance Office, OIRM, Room 404-W, Washington, D.C. 20250; and to the Office of Management and Budget, Paperwork Reduction Project (OMB #0581-0055), Washington, 20250.

U.S. DEPARTMENT OF AGRICULTURE AGRICULTURAL MARKETING SERVICE						Application is required in order to determine if a plant variety protection		
APPLICATION FOR PLANT VARIE	cert	certificate is to be issued (7 U.S.C. 2421). Information is held confidential until certificate is issued (7 U.S.C. 2426).						
NAME OF APPLICANT(S) (as it is to appear on the Certificate)	<u> </u>		2. TEMPOI EXPERI	RARY DESIGNATION OF MENTAL NO.	3.	VARIETY NAME		
FFR Cooperative				16706	1	FFR 253		
4. ADDRESS (street and no. or R.F.D. no., city, state, and ZIP)				(Include area code)		FOR OFFICIAL USE ONLY		
4112 East State Road 225					PVP	O NUMBER		
West Lafayette, IN 47906			317/56	57-2115		9200055		
					F	Dec. 24, 1991		
6. GENUS AND SPECIES NAME	7. FAMILY	NAME (Bolanic	al)		-	Time		
Glycine max		ıminosa	-		N G	A.M. P.M.		
8. CROP KIND NAME (Common Name)		9. 1	ATE OF DET	ERMINATION	F	Filing and Examination Fee:		
Soybean			2/8	35	E S	Date		
10. IF THE APPLICANT NAMED IS NOT A "PERSON," GIVE FORM OF ORG	ANIZATION (C	orporation, part	nership, asso	ciation, etc.)	R E	Dec. 23,1991		
Corporation					Ç	Certificate Fee:		
11. IF INCORPORATED, GIVE STATE OF INCORPORATION		12. DA	TE OF INCOM	RPORATION	- i	111111111111111111111111111111111111111		
Wisconsin			1960)	£	164+ 28 1992		
13. NAME AND ADDRESS OF APPLICANT REPRESENTATIVE(S), IF ANY,	TO SERVE IN T	HIS APPLICATION	N AND REC	EIVE ALL PAPERS				
Stephen L. Robinson								
FFR Cooperative	٠							
4112 East State Road 225						217/547 2115		
West Lafavette IN 47906 14. CHECK APPROPRIATE BOX FOR EACH ATTACHMENT SUBMITTED (F	Ollow INSTRIC	TIONS on rever	ral .	PHONE (include area	code):	317/567-2115		
a. X Exhibit A, Origin and Breeding History of the Variety.	Onow Westmoo	TIQUES ON TOTAL	,			·		
b. X Exhibit B, Novelty Statement.								
c. X Exhibit C, Objective Description of Variety.								
d. X Exhibit D, Additional Description of Variety.								
e X Exhibit E, Statement of the Basis of Applicant's Owner	ship.			10	10 0	1		
1. Seed Sample (2,500 viable untreated seeds). Date Se	ed Sample ma	ailed to Plant \	ariety Prote	ection Office 1d	0-9	<u>1</u>		
g: XI Filing and Examination Fee (\$2,150) made payable to						-U 92(a) of the Plant Verials		
15. DOES THE APPLICANT(S) SPECIFY THAT SEED OF THIS VARIETY BE Prolection Act.) YES (If "YES," answer items 16 and 17	below)	NO (# "A	O," skip to it	em 18 below)		· · · · · · · · · · · · · · · · · · ·		
16. DOES THE APPLICANT(S) SPECIFY THAT THIS VARIETY BE LIMITED A NUMBER OF GENERATIONS?	S TO	17. IF "YES" T) ITEM 16, W	HICH CLASSES OF PR	ODUCTIO	N BEYOND BREEDER SEED?		
YES X NO	i i	FO	NOITAGN	RE	GISTEREC	CERTIFIED		
18. DID THE APPLICANT(S) PREVIOUSLY FILE FOR PROTECTION OF THE	VARIETY IN TH	IE U.S.?						
YES (If "YES," through Plant Variety Protection Act	☐ Paler	nt Act Give da	le:					
X NO				 ,				
19. HAS THE VARIETY BEEN RELEASED, USED, OFFERED FOR SALE, OF	R MARKETED II	N THE U.S. OR	THER COU	TRIES?				
YES (II "YES," give names of countries and dates) NO	U.S.	A. Mar	h 199)1				
20. The applicant(s) declare(s) that a viable sample of basic	seeds of this	s variety wil	be furnis	hed with the applic	ation a	nd will be replenished upon		
request in accordance with such regulations as may be ap The undersigned applicant(s) is (are) the owner(s) of the	is sexually	reproduced	novel plan	nt variety, and bel	ieve(s)	that the variety is distinct,		
uniform, and stable as required in section 41, and is enti Applicant(s) is (are) informed that false representation h						t Variety Protection Act.		
SIGNATURE OF APPLICANT [Owner(s)]	·	CAPACITY OR		•		DATE		
A A A A A A A A A A A A A A A A A A A		٠ . ســــ		\tilde{a}		_		
Alephan I. Wolumson		SOYB	Pan	Breed E	R	12-13-91		
SIGNATURE OF APPLICANT (Owner(SW		CAPACITY OR	TITLE			DATE		

14A. EXHIBIT A

ORIGIN AND BREEDING HISTORY OF THE VARIETY

'FFR 253' originated from a cross of 'Williams 82' and 'Pella'. The initial cross was made at Battle Ground, IN in 1982 and the $\rm F_1$ generation was grown in a greenhouse at Lake City, SC in the winter of 1983. The early generations of 'FFR 253' were developed using a modified single seed descent selection method. The $\rm F_2$ generation was grown at Brookston, IN in 1983 and the $\rm F_3$ generation was grown the following winter in Chile. Single plant selections were made in the $\rm F_4$ generation at Brookston, IN in 1984. The 1985 individual $\rm F_5$ observation rows were planted and harvested at Brookston, IN.

'FFR 253' was first tested in replicated preliminary tests in 1986 at three locations. It was tested in a six location advanced trial and preliminary seed increase was begun in 1987. 'FFR 253' was tested at three locations in 1988 and breeder seed was grown at this time. Further testing was conducted in 1989 at five locations.

'FFR 253' was first checked for uniformity and stability in the ${\rm F_5}$ generation and subsequently in the ${\rm F_7}$, ${\rm F_8}$, and ${\rm F_9}$ generations. During these observations the variety was shown to be uniform and stable. Since the establishment of breeder seed in 1988 and in each subsequent year of breeder seed production the variety has been uniform and stable. 'FFR 253' is essentially free of contaminates at the present time.

14B. EXHIBIT B

NOVELTY STATEMENT

'FFR 253' is most similar to the variety 'Century 84'.

'FFR 253' differs from 'Century 84' in the following characteristics:

- 1. 'FFR 253 has a tan colored pod while 'Century 84' has a brown colored pod.
- 2. 'FFR 253' has white flowers while 'Century 84' has purple flowers.
- 3. 'FFR 253' has 1.8 gm/100 seed larger seed than 'Century 84'.

Three year seed size data from Illinois, Indiana, and Ohio

	1989 Chenoa <u>IL</u>	1990 Otterbein IN	1990 Lafayette IN	1991 Otterbein IN	1991 S. Charleston OH	Avg.
FFR 253 Century 84	19.5 16.9	20.1 18.0	19.5 18.4	16.8 15.2	19.0 17.3	19.0 17.2
LSD(.05) G.V.(%)	1.1 4.5	1.1	0.9 2.9	1.1 4.1	0.9 3.1	

EXHIBIT C (Soybean)

U.S. DEPARTMENT OF AGRICULTURE
AGRICULTURAL MARKETING SERVICE
LIVESTOCK, MEAT, GRAIN & SEED DIVISION
PLANT VARIETY PROTECTION OFFICE
BELTSVILLE, MARYLAND 20705

OBJECTIVE DESCRIPTION OF VARIETY SOYBEAN (Glycine max L.)

JOTBEA	AN IGIYCINE MAX L.)	Section 2 to the section of the sec
NAME OF APPLICANT(S)	TEMPORARY DESIGNATION	VARIETY NAME
FFR Cooperative	16076	FFR 253
ADDRESS (Street and No., or R.F.D. No., City, State, and Zip Cod	e)	FOR OFFICIAL USE ONLY
4112 East State Road 225		PVPO NUMBER
West Lafayette, IN 47906		9200055
Choose the appropriate response which characterizes the var	iety in the features described l	pelow. When the number of significant digits
in your answer is fewer than the number of boxes provided,		
Starred characters * are considered fundamental to an adequ	-	<u> </u>
when information is available.		
1. SEED SHAPE:		
	Ĭ I.	
	T	•
1 = Spherical (L/W, L/T, and T/W ratios = < 1.2)	2 = Spherical Flattened (L/W ratio > 1.2; L/T ratio = < 1.2)
$3 = \text{Elongate (L/T ratio } 1.2; T/W = \langle 1.2 \rangle$	4 = Elongate Flattened (L/T ratio > 1.2; T/W > 1.2)
A SEED COAT COLOR. (Manus Coul)		
2. SEED COAT COLOR: (Mature Seed)		
1 1 = Yellow 2 = Green 3 = Brown	4 = Black 5 = Other (Specify)
3. SEED COAT LUSTER: (Mature Hand Shelled Seed)		
1 = Dull ('Corsoy 79'; 'Braxton') 2 = Shiny ('Nebso	y'; 'Gasoy 17')	
4. SEED SIZE: (Mature Seed)		
1 9 Grams per 100 seeds		
T 1 3	•	
5. HILUM COLOR: (Mature Seed)		
6 1 = Buff 2 = Yellow 3 = Brown 4	= Gray 5 = Imperfect Blac	ck 6 = Black 7 = Other (Specify)
2 7011011	Groy 5 Imperieur diac	- Chief (pastry)
6. COTYLEDON COLOR: (Mature Seed)		
U. COTTEEDON COLON. (Mature Seed)	•	
1 1 = Yellow 2 = Green		
7. SEED PROTEIN PEROXIDASE ACTIVITY:	in the second se	
2-11-6		
1 = Low 2 = High		
8. SEED PROTEIN ELECTROPHORETIC BAND:		
8. SEED PROTEIN ELECTROPHORETIC BAND:		
1 = Type A (SP1 ^a) 2 = Type B (SP1 ^b)		
<u></u>		
9. HYPOCOTYL COLOR:		
1 = Green only ('Evans'; 'Davis') 2 = Green with	bronze band below cotyledons (*\	Noodworth': 'Tracy')
3 = Light Purple below cotyledons ('Beeson'; 'Pickett 71')	•	
4 = Dark Purple extending to unifoliate leaves ('Hodgson'; '	Coker Hampton 266A')	
IO. LEAFLET SHAPE:		
CONTRACTOR OF THE CONTRACTOR O		•
3 1 = Lanceolate 2 = Oval 3 = Ovate	4 = Other (Specify)	
· · ·	•	. /

FORM LMGS-470-57 (6-83)

(Edition of 2-82 is obsolete.)

11. LEAF	LET SIZE:	
2	1 = Small ('Amsoy 71'; 'A5312') 2 = Medium ('Corsoy 79'; 'Gasoy 17') 3 = Large ('Crawford'; 'Tracy')	
12, LEAF	COLOR:	
2	1 = Light Green ('Weber'; 'York') 2 = Medium Green ('Corsoy 79'; 'Braxton') 3 = Dark Green ('Gnome'; 'Tracy')	
13. FLOW	VER COLOR:	
1	1 = White 2 = Purple 3 = White with purple throat	
14. POD 0	COLOR:	
1	1 = Tan 2 = Brown 3 = Black	
15. PLAN	T PUBESCENCE COLOR:	
2	1 = Gray 2 = Brown (Tawny)	
16. PLAN	T TYPES:	
2	1 = Slender ('Essex'; 'Amsoy 71') 2 = Intermediate ('Amcor'; 'Braxton') 3 = Bushy ('Gnome'; 'Govan')	
17. PLAN	T HABIT:	
3	1 = Determinate ('Gnome'; 'Braxton') 2 = Semi-Determinate ('Will') 3 = Indeterminate ('Nebsoy'; 'Improved Pelican')	
18. MATU	RITY GROUP:	_
0 5	1 = 000 2 = 00 3 = 0 4 = I 5 = II 6 = III 7 = IV 8 = V 9 = VI 10 = VII 11 = VIII 12 = IX 13 = X	•
19. DISEA	SE REACTION: (Enter 0 = Not Tested; 1 = Susceptible; 2 = Resistant)	
_	FRIAL DISEASES:	
* [0]	Bacterial Pustule (Xanthomonas phaseoli var. sojensis)	
★ [0]	Bacterial Blight (Pseudomonas glycinea)	
* 0	Wildfire (Pseudomonas tabaci)	
FUNGA	AL DISEASES:	
★ 0	Brown Spot (Septoria glycines)	
. <u></u> .	Frogeye Leaf Spot (Cercospora sojina)	
* 0	Race 1 Race 2 Race 3 Race 4 Race 5 Other (Specify)	
	Target Spot (Corynespora cassiicola)	
	Downy Mildew (Peronospora trifoliorum var. manshurica)	
	Powdery Mildew (Microsphaera diffusa)	
★ 0	Brown Stem Rot (Cephalosporium gregatum)	
	Stern Canker (Diaporthe phaseolorum var. caulivora)	

19. DISEASE REACTIO	N: (Enter 0 = Not Tested; 1 = Susceptible; 2 =	Resistant) (Continued)					
FUNGAL DISEAS	ES: (Continued)						
★ 0° Pod and Ste	m Blight (Diaporthe phaseolorum var; sojae)						
Purple Seed	Stain (Cercospora kikuchii)	•					
Rhizoctonia	Root Rot (Rhizoctonia solani)		August 1				
Phytophtho	ra Rot (Phytophthora megasperma var. sojae)						
★ 2 Race 1	2 Race 2 2 Race 3 2	Race 4 [2] Race 5	2 Race 6 2 Race 7				
2 Race 8	2 Race 9 2 Other (Specify) 1	0-11,13-15,17-18,	21-22,24,26				
VIRAL DISEASES	:						
Bud Blight (Tobacco Ringspot Virus)						
Yellow Mosa	aic (Bean Yellow Mosaic Virus)						
★ 0 Cowpea Mos	aic (Cowpea Chlorotic Virus)						
Pod Mottle (Bean Pod Mottle Virus)						
★ 0 Seed Mottle	(Soybean Mosaic Virus)						
NEMATODE DISE	ASES:	1 					
Soybean Cys	t Nematode (Heterodera glycines)						
★ 1 Race 1	0 Race 2 1 Race 3 I	Race 4 Other I	Specify)				
Lance Nema	tode (Hoplolaimus Colombus)	•					
★ Southern Ro	ot Knot Nematode (Meloidogyne incognita)						
	ot Knot Nematode (Meloidogyne Hapla)						
	Knot Nematode (Meloidogyne arenaria)						
Reniform Ne	matode (Rotylenchulus reniformis)						
	EASE NOT ON FORM (Specify):						
20. PHYSIOLOGICAL RE	SPONSES: (Enter 0 = Not Tested; 1 = Suscep	tible; 2 = Resistant)					
* 0 Iron Chlorosi	s on Calcareous Soil						
Other (Specif	y)						
21. INSECT REACTION:	(Enter 0 = Not Tested; 1 = Susceptible; 2 = Re	sistant)					
Mexican Bear	Beetle (Epilachna varivestis)						
Potato Leaf F	lopper (Empoasca fabae)	<u>, </u>					
Other (Specify)							
22. INDICATE WHICH VARIETY MOST CLOSELY RESEMBLES THAT SUBMITTED.							
	1	I SUBMITTED.	·				
CHARACTER	NAME OF VARIETY	CHARACTER	NAME OF VARIETY				
Plant Shape	Pella	Seed Coat Luster	Corsoy 79				
Leaf Shape	Pelia	Seed Size	Pella				
Leaf Color	Pella	Seed Shape	Pella				
Leaf Size	Pella	Seedling Pigmentation	Williams 82				

23. GIVE DATA FOR SUBMITTED AND SIMILAR STANDARD VARIETY: Paired Comparison Data

VARIETY	NO. OF PLANT DAYS LODGING		CM PLANT	LEAFLET SIZE		SEED CONTENT		SEED SIZE G/100	NO. SEEDS/
	MATURITY SCORE	SCORE	HEIGHT	CM Width	CM Length	% Protein	% Oil	SEEDS	POD
Submitted	127	1.5	88			39.7	23.0	19.0	
Century 84 Name of Similar Variety	126	1.2) 88		. ,	42.5	21.1	17.2	

PUBLICATIONS USEFUL AS REFERENCE AIDS FOR COMPLETING THIS FORM:

- 1. Caldwell, B.E., ed. 1973. Soybeans: Improvement, Production, and Uses. Amer. Soc. Agron. Monograph No. 16.
- 2. Buttery, B.R. and R.I. Buzzell. 1968. Peroxidase activity in seeds of soybean varieties. Crop Sci., 8: 722-725.
- 3. Hymowitz, T. 1973. Electrophoretic analysis of SBTI-A₂ in the USDA soybean germplasm collection. Crop Sci., 13: 420-421.
- 4. Payne, R.C. and L.F. Morris. 1976. Differentiation of soybean cultivars by seedling pigmentation patterns. J. Seed Technol. 1: 1-19.

14D. EXHIBIT D

ADDITIONAL DESCRIPTION OF VARIETY

'FFR 253' is an early group II soybean variety. It has white flowers, brown pubescence, tan colored pods, yellow seed, and a black hilum. 'FFR 253' has combined the Rpsl-k gene for resistance to Phytophthora root rot and excellent lodging resistance. With these characteristics it is extremely well adapted to the area where early group II soybean varieties are grown.

14E. EXHIBIT E.

STATEMENT OF THE BASIS OF APPLICANTS OWNERSHIP

'FFR 253' was bred by breeders employed by FFR Cooperative. Employees of FFR Cooperative have no claim or rights of ownership to 'FFR 253'. Ownership of 'FFR 253' belongs to FFR Cooperative.